



RACING PROGRAM

2 0 2 3 /
2 0 2 4



VOELKL.COM



DALBELLO.IT



MARKER.NET



GOOD TO KNOW:

- 1) All models that can be used in FIS races have the addition FIS in the product name.
- 2) All models that do not have FIS in the name are exclusively for juniors and masters.
- 3) The order of the article numbers is based on the age groups and the competition level. Consequently, the lower article (numbers) are for the children's and pupils' area. The higher the article number, the higher the level of the rider and the competition level.

KEY FEATURES

MULTILAYER WOODCORE

The combination of beech and poplar allows for an extremely resilient stickwood core, consisting of hard-wood in the binding area and somewhat lighter wood in the remaining area.



WORLD CUP ASH WOODCORE

Ash is a hard wood. The long fibers stretch when the ski initiates the turn and contract again when the end of the turn is reached. For our WorldCup und Master models, we use

the restoring force of ash to make the ski more solid and stable on the slope and at the same time to build up pressure on the edge. Especially at the shovel and the tail we can build the ski harder and therefore improve the dynamics as well as the smoothness.



FINISH

Our skis can be used directly in racing without processing, because our bridges are already delivered with a suspended angle. This is a huge advantage for later preparation. All our models are coming with dedicated tuning according to each individual purpose and relevant target group. Check out more information on page 26.



WORLD CUP WOODCORE

In order to offer the best combination for optimal ski bending, we use a special mixture of

50% ash and 50% poplar wood for the Worldcup Woodcore. The ash acts like a restoring force, as the long fibers stretch when the ski initiates the turn and contract again when the end of the turn is reached. This makes the ski stronger and more stable on the slopes. Thanks to the poplar parts, an optimum balance of weight is reached.

DEDICATED BASE STRUCTURES


Völkl invests millions in a new base structure machine. Why?

POLISHED SKI BASES ENHANCE ...
 ... greatest gliding characteristics
 ... optimal base treatment options
 ... long lasting effects

DEDICATED SKI BASE STRUCTURES HAVE A STRONG EFFECT ON ...
 ... agile, precise & reliable turn initiation
 ... tighter turns with less efforts
 ... smooth drifting

ZEBRA STRUCTURE

on system / premounted skis with narrower widths



TAILORED TECHNOLOGIES



One of our latest technologies is Tailored Fibre Placement. In this innovative manufacturing process the Tailored Carbon Tips are produced by embroidering the individual carbon fibers onto a carrier material. This allows them to be positioned exactly along the stress lines, opening up plenty of possibilities, for performance at the front of the ski, which has a decisive influence on the handling of the ski. The stiffness, torsion and thus the skiing characteristics can be specifically adjusted via the fiber thickness and millimeter-precise alignment. In this way, the fibers guide the dynamics to the areas of the ski where they are needed. The visibly integrated Tailored Carbon Tips are light, allow an agile shovel reaction with less effort and quickly build up energy. The Tailored Carbon Tips thus reach a next level of precision, direct tip response and active skiing pleasure.



SCAN ME




XCOMP TOE

- One piece attachment with three point mounting pattern
- Absorbers in main body provide a more forgiving performance
- Xcomp piston absorbs short initial impacts and keeps boot centered
- Great power transmission, precision and control



TCX HEEL

- Increased vertical energy absorption
- Increased boot lug purchase
- Wider Heel connection
- Better power transmission



PISTON CONTROL

The inner life of the World Cup Plate. A hydraulic oil piston enables sensational performance on the race track. The piston only reacts to negative ski impacts. This noticeably improves the turn initiation, increases the edge grip and allows more precisely controlled turns.




KIDS

(U6-U12)

	PAGE	MODEL	ART. NO.
	22-25 SKIS:	Racetiger SL R JR w/Plate	V2310800
		Racetiger GSL R JR	V2310801
		Racetiger GS R JR w/Plate	V2310810
		Racetiger GS R w/Plate (174cm, 178cm)	V2310820
		Racetiger SG R JR FLAT	120850
	30-33 BINDINGS:	Race Junior 8	6320U1MS
		Race 10 TCX	6520U1MT
		Race 10	6520U1MS
		XComp 12	6820U1MS
		WC PC Interface 10mm	2020R1SS
	34-37 BOOTS:	DRS WC SS	D2301004.00
		DRS WC XS	D2301005.00
		DRS 90 LC	D2302004.00
		DRS 75	D2302005.00
		DRS 60	D2302006.00

XX VÖLKI
RACE SKI
 F.I.S.



**RACETIGER
 GS MASTER**



**RACETIGER
 SL MASTER**



ART. NO.	V2310001	V2310003
SIDECUT LENGTH (RADIUS)	115_67_98 168 (15.4), 173 (16.4), 178 (17.5), 183 (18.6)	126_67_102 155 (11.0), 165 (12.6)
WEIGHT PER SKI	2330 g @ 178 w o binding	2200g @ 165 w o binding
TECHNOLOGY	Tailored Carbon Tip WC Ash Woodcore 3D.Glass Full Titanal Full Sidewall Base: P-Tex 4505 Base structure: Zebra structure Plate System: WC Plate 10 mm	Tailored Carbon Tip WC Ash Woodcore Full Titanal Full Sidewall Marker WC Plate 10 mm 3D.Glass Base: P-Tex 4504 Base structure: Zebra structure
CORE	Worldcup Ash Woodcore Ash 100%	Worldcup Ash Woodcore Ash 100%
BINDING	Marker Xcomp 16 GW MASTER	Marker Xcomp 16 GW MASTER





RACETIGER GS R WC FIS



RACETIGER GS R



RACETIGER GS R JR



ART. NO.	V2310860 (FLAT) V2310861 (w/plate)
SIDECUT LENGTH (RADIUS)	99_65_83 188 (30) 99.5_65_84.3 193 (30)
WEIGHT	2706 g* @ 193 cm (V2310861)
TECHNOLOGY	Tailored Carbon Tip Full Sidewall Phenol Full Titanal Race Finish GS 1,1° / 87.6° (V2310861) Base: P-Tex 2510 Zebra structure (V2310861)
CORE	Worldcup Ash Woodcore Ash 100%
REC. BINDING	Marker Xcomp 24, 18, 16
REC. USE FIS	Lady EC/FIS (188) Men EC/FIS (193) Master
COMPLYING FIS	Lady WC/EC/FIS (188) Men WC/EC/FIS (193) Men FIS -5cm (188) U16/14 (188) Master
REC. NON-COMPETITION USE	

ART. NO.	V2310820 (w/plate)
SIDECUT LENGTH (RADIUS)	104_64.5_87 174 (21) 104_64.5_86 178 (23) 102_64.5_86 183 (25) 101_64.5_85 188 (27,5)
WEIGHT	2329 g* @ 183 cm (V2310820)
TECHNOLOGY	Tailored Carbon Tip Full Sidewall ABS Full Titanal Race Finish GS 1,1° / 87.6° Base: P-Tex 4504 Zebra structure
CORE	Multilayer Woodcore Beech / Poplar 70 / 30
REC. BINDING	Marker Xcomp 16, 12
REC. USE FIS	Master U14/16 Men U14/U16 Lady
COMPLYING FIS	U14/16 Master
REC. NON-COMPETITION USE	Instructor, Retired Racer

ART. NO.	V2310810
SIDECUT LENGTH (RADIUS)	102_65_84 130 (12) (JR Plate S) 102_65_84 137 (14) (JR Plate L) 102_65_84 144 (15) (JR Plate L) 102_65_84 151 (17) (JR Plate L) 104_65_86 158 (17) (JR Plate L) 106_64_87 165 (18) (JR Plate L) 106_64_87 170 (19) (JR Plate L)
WEIGHT	1750 g* @ 170 cm
TECHNOLOGY	Full Sidewall ABS Full Titanal Grown Layup Base: P-Tex 4504 Zebra structure
CORE	Multilayer Woodcore Beech / Poplar 50 / 50 (130 cm - 151 cm) Beech / Poplar 70 / 30 (158 cm - 170 cm)
REC. BINDING	Marker Xcomp 12, Marker Race 10 TCX Marker Race JR 8
REC. USE FIS	Junior (national rules may apply) Lady Master
COMPLYING FIS	Junior/U14 (national rules may apply) U16, Lady Master Length: 151-170 cm



**RACETIGER
SL R FIS**



**RACETIGER
SL R WC FIS**



**RACETIGER
SL SL R JR**



**RACETIGER
GSL R JR**



ART. NO.	V2310840 (FLAT) V2310841 (w/Plate & UVO @155,157) V2310841 (w/Plate @165)	V2310850 (FLAT) V2310851 (w/plate & UVO @155, 157) V2310851 (w/plate @165)	ART. NO.	V2310800	V2310801
SIDECUT LENGTH (RADIUS)	113_65_98.5 155 (12) (10mm WC Plate) 116_65_100 157 (12) (10mm WC Plate) 118.5_64.5_101 165 (12) (14mm WC Plate)	113_65_98.5 155 (12) (10mm WC Plate) 116_65_100 157 (12) (10mm WC Plate) 118.5_64.5_101 165 (12) (14mm WC Plate)	SIDECUT LENGTH (RADIUS)	113_64.5_93 122 (7), 129 (9) (JR Plate S) 113_64.5_93 136 (10) (JR Plate L) 115_64.5_96 143 (10), 150 (12) (JR Plate L)	111_64.5_91 118 (7,5) (JR Plate S)
WEIGHT	2070g* @ 155cm (V2310841)	2060g* @ 155cm (V2310851)	WEIGHT	1180 g* @ 122 cm (w/plate)	1050 g * @ 118 cm (w/plate)
TECHNOLOGY	UVO 3D WC (V2310841 @155, 157) Tailored Carbon Tip (165) Full Sidewall ABS Full Titanal Torsional Soft Tip 155 Race Finish SL 0,7° / 87,6° Base: P-Tex 4504 / Zebra structure	UVO 3D WC (V2310851 @155, 157) Tailored Carbon Tip (165) Full Sidewall ABS 155, 157 Full Sidewall Phenol 165 Full Titanal Torsional Soft Tip 155 Race Finish SL 0,7° / 87,6° (V2310851) Base: P-Tex 2510 Zebra structure (V2310851)	TECHNOLOGY	Full Sidewall ABS Torsional Soft Tip Full Titanal Grown Layup Base: P-Tex 4504 / Zebra structure	Full Sidewall ABS Base: P-Tex 4504 / Zebra structure
CORE	Multilayer Woodcore Beech / Poplar 70 / 30 (165cm) Beech / Poplar 66 / 33 (155cm, 157cm)	Worldcup Woodcore Ash / Poplar 50 / 50	CORE	Multilayer Woodcore Beech / Poplar 50 / 50 (122cm-129cm) Beech / Poplar 66 / 33 (136cm - 150cm)	Multilayer Woodcore Beech / Poplar 50 / 50
REC. BINDING	Marker Xcomp 24, 18, 16	Marker Xcomp 24, 18, 16	REC. BINDING	Marker Race JR 8 Marker Race 10 XTD Marker Xcomp 12	Marker Race JR 8
REC. USE FIS	Men FIS & U14/16 & Master Lady FIS & U14/16 & Master	Lady EC/FIS & Master Men EC/FIS & Master	REC. USE FIS	Junior (national rules may apply) U14 (only 150cm)	
COMPLYING FIS	Lady WC/EC/FIS Men U18 (1st year -10cm, 155) Men WC/EC/FIS 165cm U16/14 Master	Lady WC/EC/FIS Men U18 (1st year -10cm, 155) Men WC/EC/FIS 165cm U16/14 Master	COMPLYING FIS	U14/16 Junior (national rules may apply) Master	
REC. NON-COMPETITION USE	Instructor, Retired Racer	Retired Racer	REC. NON-COMPETITION USE		Junior



**RACETIGER
GS R WC X FLAT**




**RACETIGER
DH R WC FIS FLAT**



**RACETIGER
SG R WC FIS FLAT**



ART. NO.	V2310890	120890	120880
SIDECUT LENGTH (RADIUS)	100_64.5_86 186 (>=27) 99.5_65_83.5 191 (>=30)	90.5_65_78 210 (>=50) 90.1_65_78 213 (>=50) 93.5_65_77.8 218 (>=50)	93_65_80,0 200 (>=40) 93_65_77.5 206 (>=45) 95_65_81.5 208 (>=40) 93.5_65_79 211 (>=45)
WEIGHT	1970g @ 186cm	2570g @ 213cm	2360g @ 208cm
TECHNOLOGY	Full Sidewall Phenol Full Titanal Base: P-TEX 2510 Skicross Tip	Full Sidewall ABS 210, 213 Full Sidewall Phenol 218 Full Titanal Base: P-TEX 2510	Full Sidewall ABS 200,206,208 Full Sidewall Phenol 211 Full Titanal Base: P-TEX 2510
CORE	World Cup Ash Woodcore Ash 100%	World Cup Ash Woodcore Ash 100%	World Cup Ash Woodcore Ash 100%
REC. BINDING	Marker Xcomp 24, 18, 16	Marker Xcomp 24, 18, 16	Marker Xcomp 24, 18, 16
REC. USE FIS	Skier Cross	Lady WC/EC/FIS 210, 213 Men WC/EC/FIS 218	Master 200cm, 208cm Men FIS 206cm Lady WC/EC/FIS 208cm Men WC/EC/FIS 211cm
COMPLYING FIS	Skier Cross & Master	Lady WC/EC/FIS 210cm, 213cm, 218cm Men FIS -5cm 213cm Men (Lady) WC/EC/FIS 218	Lady FIS -5cm & Master 200cm Men FIS -5cm & (Lady WC/EC/FIS) & Master 206cm Lady WC/EC/FIS & Master 208cm Men (Lady) WC/EC/FIS & Master 211cm



ACCESSORIES

WC UVO.3D
V001S1SS



**RACING TUNING KIT TCX;
XCOMP**
2028U1RX



**SLALOM TIP PROTECTORS
ASYMMETRIC**
154511.6



**SLALOM TIP
PROTECTORS SYMMETRIC**
154511.7



RT SL PROTECTOR
140090.0



MOUNTING INSTRUCTION
(SCAN QR-CODE)

POLES



**SPEEDSTICK
CARBON**
141001
Black
110 - 135 cm



**SPEEDSTICK
RED**
141002
GS Red
110 - 135 cm



**SPEEDSTICK
YELLOW**
141003
SL Yellow
110 - 135 cm



**SPEEDSTICK
JR YELLOW**
141020
SL Yellow
90 - 110 cm



**SPEEDSTICK
KIDS YELLOW**
141021
SL Yellow
70 - 105 cm

BAGS



RACE BOOT PACK
VÖLKL

ART. NO. 142100
COLOR Black/Red
SIZE IN CM 34 x 31 x 48
VOLUME IN L 55



RACE BOOT & HELMET BACKPACK
VÖLKL

ART. NO. 142101
COLOR Black/Red
SIZE IN CM 39 x 30 x 47
VOLUME IN L 56



RACE BOOT & HELMET BACKPACK
DALBELLO

ART. NO. 142102
COLOR Green / Black / White
SIZE IN CM 39 x 30 x 47
VOLUME IN L 56



RACE BACKPACK TEAM LARGE
VÖLKL

ART. NO. 142103
COLOR Black/Red
SIZE IN CM 49 x 36 x 65
VOLUME IN L 115



RACE BACKPACK TEAM LARGE
DALBELLO

ART. NO. 142113
COLOR Green / White
SIZE IN CM 49 x 36 x 65
VOLUME IN L 115



RACE BACKPACK TEAM MEDIUM
VÖLKL

ART. NO. 142105
COLOR Black/Red
SIZE IN CM 40 x 36 x 60
VOLUME IN L 85



RACE BACKPACK TEAM MEDIUM
DALBELLO

ART. NO. 142106
COLOR Green / White
SIZE IN CM 40 x 36 x 60
VOLUME IN L 85



RACE 120 L ROLLING BAG
VÖLKL

ART. NO. 142108
COLOR Black/Red
SIZE IN CM 76 x 39 x 35
VOLUME IN L 120



RACE SINGLE SKI BAG 175 CM
VÖLKL

ART. NO. 142109
COLOR Black/Red
SIZE IN CM 175 x 14 x 14
VOLUME IN L 80



RACE SINGLE SKI BAG 165+15+15
VÖLKL

ART. NO. 142110
COLOR Black/Red
SIZE IN CM (165+15 x 2) x 14 x 14
VOLUME IN L 80



RACE DOUBLE SKI BAG 195 CM
VÖLKL

ART. NO. 142111
COLOR Black/Red
SIZE IN CM 195 x 26 x 40
VOLUME IN L 120



RACE 4PAIR SKI BAG PADDED 230 CM
VÖLKL

ART. NO. 142112
COLOR Black
SIZE IN CM 230 x 141
VOLUME IN L



TEAM PRO BACKPACK
VÖLKL

ART. NO. 143100
COLOR Heather Grey
SIZE IN CM 56 x 33 x 28
VOLUME IN L 52



FLIGHT 30 L BACKPACK
VÖLKL

ART. NO. 143101
COLOR Heather Grey
SIZE IN CM 50 x 33 x 18
VOLUME IN L 30



TRAVEL 60 L DUFFEL
VÖLKL

ART. NO. 143102
COLOR Heather Grey
SIZE IN CM 61 x 33 x 25
VOLUME IN L 60



TRAVEL 90 L DUFFEL
VÖLKL

ART. NO. 143103
COLOR Heather Grey
SIZE IN CM 74 x 42 x 28
VOLUME IN L 90



ROLLING 70 L BAG
VÖLKL

ART. NO. 143104
COLOR Heather Grey
SIZE IN CM 61 x 36 x 31
VOLUME IN L 70



ROLLING 120 L BAG
VÖLKL

ART. NO. 143105
COLOR Heather Grey
SIZE IN CM 76 x 41 x 41
VOLUME IN L 120



ROLLING DOUBLE SKI BAG 185 CM
VÖLKL

ART. NO. 143106
COLOR Heather Grey
SIZE IN CM 185 x 33 x 20
VOLUME IN L 122



ROLLING ALL PRO GEAR BAG 200 CM
VÖLKL

ART. NO. 143107
COLOR Heather Grey
SIZE IN CM 200 x 36 x 25
VOLUME IN L 180

PROTECTORS



Women
1414100.01

NEW

MAP VEST

- Protection** Full Back Protection
6 Layer MAP Flexible Spine Contour
- Fit** Anti-Sag Kidney Belt
Auto-Tailoring Mesh
- Breathability** MarkAIR Channel MAP Ventilation
MarkAIR Breathable Fabric
- Sizing** Men: S, M, L, XL
Women: S, M, L
- Certification** EN 1621-2:2014 Level 2
- Color** Black/Red, Black/Silver
- Order No.** Men
1414000.01

Women
1414100.01



Junior

NEW

MAP VEST JUNIOR



- Protection** Full Back Protection
6 Layer MAP Flexible Spine Contour
- Fit** Anti-Sag Kidney Belt
Auto-Tailoring Mesh
- Breathability** MarkAIR Channel MAP Ventilation
MarkAIR Breathable Fabric
- Sizing** S, L
- Certification** EN 1621-2:2014 Level 2
- Color** Black/White
- Order No.** 1414200.01

NEW

MAP PACK UNISEX

- Protection** Full Back Protection
6 Layer MAP Flexible Spine Contour
- Fit** Anti-Sag Kidney Belt
- Breathability** MarkAIR Channel MAP Ventilation
- FIS Ready** Adjustable/Removable Harness Straps
- Sizing** S, M, L, XL
- Certification** EN 1621-2:2014 Level 2
- Color** Black / Red
- Order No.** 141430.01